



ART. Chiavi combinate




ART.	mm	L mm	A mm	B mm	C mm	D mm	Pz Conf.
S 87 066	6	100	4,7	10.1	4	15.5	1-6
S 87 057	7	110	5,0	11.5	4	17.0	1-6
S 87 058	8	120	5,5	12.8	4.5	19.2	1-6
S 87 069	9	130	5,9	14.2	4.5	21.2	1-6
S 87 070	10	140	6,5	15.6	5	23.2	1-6
S 87 071	11	150	6,9	16.9	5.4	25.3	1-6
S 87 072	12	160	7.3	18.3	5.5	27.2	1-6
S 87 073	13	170	7.8	19.7	5.9	29.4	1-6
S 87 074	14	180	8.3	21.2	6.2	31.5	1-6
S 87 075	15	190	8.6	22.5	6.4	33.2	1-6
S 87 076	16	200	8.9	24.0	6.7	34.7	1-6
S 87 077	17	210	9.3	25.3	6.9	36.5	1-6
S 87 078	18	220	9.9	26.8	7.2	38.7	1-6
S 87 079	19	230	10.5	28.1	7.4	40.7	1-6
S 87 080	20	240	10.9	29.7	7.7	43.1	1-6
S 87 081	21	250	11.3	31.3	8.0	44.8	1-6
S 87 082	22	260	11.5	32.6	8.2	46.9	1-6
S 87 083	23	270	11.8	34.2	8.4	48.3	1-6
S 87 084	24	280	12.1	35.5	8.7	50.4	1-6
S 87 085	25	290	12.5	36.9	8.9	52.0	1-6
S 87 086	26	300	12.8	38.2	9.2	53.6	1-6
S 87 088	28	320	13.3	40.9	9.7	57.6	1-6

ART. Chiavi a pipa



ART.	A	L mm	B mm	C mm	D mm	T mm	Pz Conf.
S 88 862	6	94	9	9	18	18.0	1-4
S 88 864	8	104	12.0	10.0	23.5	18.0	1-4
S 88 865	9	111	13.5	10.0	25.0	19.0	1-4
S 88 866	10	116	15.0	12.0	27.0	21.0	1-4
S 88 867	11	123	16.5	14.0	29.5	24.0	1-4
S 88 868	12	136	18.0	14.5	31.5	26.0	1-4
S 88 869	13	146	19.5	15.5	33.5	28.	1-4
S 88 870	14	158	20.5	16.5	36.0	30.0	1-4
S 88 873	17	188	24.5	19.5	43.5	35.0	1-4
S 88 875	19	203	27.0	21.0	48.5	38.0	1-4

ART. Chiavi regolabili a rullino



ART.	A mm	L mm	Pz. Conf.
S 87 366	19	150	1-6
S 87 368	24	200	1-6

Forgiato al cromo vanadio. Finitura satinata

ART. Cricchetto autoregolabile




ART.	Descrizione	Pz. Conf.
S 87 988	8-14 mm	1
S 87 989	13-19mm	1

ART. Manico snodato – attacco 1/2 “



ART.	L mm	A mm	B mm	Pz. Conf.
S 86 413	439,0	28,0	20,1	1-6

ART. Cricchetto reversibile con sgancio veloce della bussola – attacco 1/2 “



ART.	L mm	A mm	B mm	C mm	Pz. Conf.
S 86 397					1

ART. Chiave bussola poligonali standard- attacco 1/2 “



ART.	mm	L mm	A mm	B mm	C mm	Pz. Conf.
S 86 542	10	38,0	15,5	21,8	10,0	1-6
S 86 545	13	38,0	19,2	21,8	10,0	1-6
S 86 546	14	38,0	20,5	21,8	10,0	1-6
S 88 789	17	38,0	24,2	23,3	14,3	1-6